ELSEVIER

Physica C 232 (1994) 397–400

PHYSICA C

Author index to volume 232

Alonso, J.A., see J.L. MacManus-Driscoll **232**, 288
Arul Selvan, K. and S.K. Biswas, Flux pinning due to stress concentration introduced by an ellipsoidal precipitate in a stressed $YBa_2Cu_3O_7$ film **232**, 233
Asadov, A.K., Yu.E. Kuzovlev, N.A. Doroshenko and A.I. Asadova, Critical current density and percolation in YBaCuO ceramic **232**, 158
Asadova, A.I., see A.K. Asadov **232**, 158
Atou, T., see M. Kikuchi **232**, 263

Bansal, C., see G.D. Mukherjee **232**, 241
Barus, A.M.M. and J.A.T. Taylor, Quench study investigation of the peritectic reaction as a function of crystallite size in $YBa_2Cu_3O_{7-x}$ **232**, 246
Biswas, S.K., see K. Arul Selvan **232**, 233
Bravman, J.C., see J.L. MacManus-Driscoll **232**, 288
Brons, G.C.S., see A.G. Sivakov **232**, 93

Caldès, M.T., see D. Pelloquin **232**, 75
Camerlingo, C., H. Huang, B. Ruggiero, M. Russo, E. Sarnelli, G. Testa, L. Correra, S. Guerri, S. Neri, S. Nicoletti, G. Pizzochero and Y. Su, Step-edge junction fabrication by a Si/YBCO reactive patterning technique **232**, 44
Cava, R.J., see H.W. Zandbergen **232**, 328
Chanda, B., S.K. Ghatak and T.K. Dey, Normal state thermoelectric power of vanadium-substituted $(Bi_{0.8}Pb_{0.2-y}V_y)_2Sr_2Ca_2Cu_3O_x$ superconducting pellets **232**, 136
Chao, L.-Z., see K.-B. Tang **232**, 131
Chardon, J., see M. Ledésert **232**, 387
Chatterjee, A., see G.D. Mukherjee **232**, 241
Cheah, H.-M., see J.R. Waldram **232**, 189
Chen, M., see S.G. Kaplan **232**, 174
Chen, Q.-W., see W.-B. Wu **232**, 364
Chen, Z.-Y., see K.-B. Tang **232**, 131
Chu, C.W., see R.L. Meng **232**, 337
Cochrane, J.W., G.J. Russell and D.N. Matthews, Seebeck coefficient as an indicator of oxygen content in YBCO **232**, 89
Cohen, M.L., see J.G. Hou **232**, 22
Correra, L., see C. Camerlingo **232**, 44
Coudrier, L., see V. Hardy **232**, 347

De Andrade, M.C., see R.F. Jardim **232**, 145
De Andrade, M.C., see H.W. Zandbergen **232**, 328
Dey, T.K., see B. Chanda **232**, 136
Ding, S.Y., see J. Li **232**, 1, 10
Divin, Yu.Ya. and P.M. Shadrin, Imaging of electrical inhomogeneities in $YBa_2Cu_3O_{7-x}$ thin-film structures by room-temperature laser scanning microscopy **232**, 257
Dmitrenko, I.M., see A.G. Sivakov **232**, 93
Doroshenko, N.A., see A.K. Asadov **232**, 158
Drew, H.D., see S.G. Kaplan **232**, 174

Early, E.A., see R.F. Jardim **232**, 145
Erb, A., see K. Widder **232**, 82

Farmer, J., see M.C. Frischherz **232**, 309
Farnan, I., L.W. Lombardo, J.F. Stebbins and A. Kapitulnik, Deoxygenation and oxygen annealing of $Bi_2Sr_2CaCu_2O_{8+\delta}$ single crystals observed in situ by ^{17}O NMR **232**, 27
Feng, S.-P., Flux phase and doping dependence of antiferromagnetism in copper oxide compounds **232**, 119
Fisk, Z., see H.W. Zandbergen **232**, 328
Flokstra, J., see A.G. Sivakov **232**, 93
Frischherz, M.C., M.A. Kirk, J. Farmer, L.R. Greenwood and H.W. Weber, Defect cascades produced by neutron irradiation in $YBa_2Cu_3O_{7-\delta}$ **232**, 309

Gao, L., see R.L. Meng **232**, 337
García, A., see X.X. Zhang **232**, 99
Gautier-Picard, P., see R.L. Meng **232**, 337
Geballe, T.H., see J.L. MacManus-Driscoll **232**, 288
Geserich, H.P., see K. Widder **232**, 82
Ghatak, S.K., see B. Chanda **232**, 136
Godart, C., see R.M. Kadam **232**, 359
Gopalakrishnan, I.K. and J.V. Yakhmi, Suppression of superconductivity by substitution of Th for Ce in $(Nd_{2/3}Ce_{1/3})_2(Ba_{2/3}Nd_{1/3})_2Cu_3O_{9-d}$ **232**, 127
Gopinath, C.S. and S. Subramanian, X-ray photoelectron spectroscopic studies of $HgBa_2CuO_{4+\delta}$. Mixed valent mercury and copper **232**, 222
Goretta, K.C., see Y.F. Li **232**, 184
Gortenmulder, T.J., see H.W. Zandbergen **232**, 328
Greenwood, L.R., see M.C. Frischherz **232**, 309
Guerri, S., see C. Camerlingo **232**, 44
Gupta, L.C., see R.M. Kadam **232**, 359

Han, P.D., see S.S. Sengupta **232**, 283
Han, S.H., see H.W. Zandbergen **232**, 328
Hao, L., J.C. Macfarlane and C.M. Pegrum, Comparative noise

measurements in YBCO step-edge and bi-crystal grain-boundary junctions **232**, 111
Hardy, V., A. Wahl, A. Ruyter, A. Maignan, C. Martin, L. Coudrier, J. Provost and Ch. Simon, The fishtail effect in different Tl based single crystals. A possible interplay with the electronic anisotropy **232**, 347
Harrison, J.C., see H.W. Zandbergen **232**, 328
Hejtmánek, J., see D. Sedmidubský **232**, 104
Hermann, J., see H.W. Zandbergen **232**, 328
Hervieu, M., see A. Maignan **232**, 15
Hervieu, M., see D. Pelloquin **232**, 75
Hervieu, M., see M. Ledésert **232**, 387
Hilgenkamp, J.W.M., see A.G. Sivakov **232**, 93
Hirabayashi, I., see Y. Yamada **232**, 269
Hong, G.-W., see C.-J. Kim **232**, 163
Hossain, Z., see R.M. Kadam **232**, 359
Hou, J.G., X.-D. Xiang, M.L. Cohen and A. Zettl, Granularity and upper critical fields in K_3C_{60} **232**, 22
Hua, X.Y., see H.M. Shao **232**, 5
Huang, H., see C. Camerlingo **232**, 44
Hur, N.H., see K.H. Lim **232**, 215

Ignatiev, A., see N.J. Wu **232**, 151

Jardim, R.F., M.C. de Andrade, E.A. Early, M.B. Maple and D. Stroud, Superconducting glass behavior and frustration in polycrystalline $Sm_{2-x}Ce_xCuO_{4-y}$ **232**, 145
Jiao, Z.-K., see X.-J. Zhang **232**, 277

Kadam, R.M., M.D. Sastry, Z. Hossain, C. Mazumdar, R. Nagarajan, L.C. Gupta, C. Godart and R. Vijayaraghavan, EPR and microwave-absorption studies in a new class of superconductors. Quarternary rare-earth transition metal borocarbides $YPd_5B_3C_{0.35}$ and YNi_2B_2C **232**, 359
Kanjilal, D., see S.G. Kaplan **232**, 174
Kapitulnik, A., see I. Farnan **232**, 27
Kaplan, S.G., M. Chen, H.D. Drew, M. Rajeswari, R. Liu, T. Venkatesan, D. Kanjilal, L. Senapati and G.K. Mehta, Far-infrared transmission of $YBa_2Cu_3O_{7-\delta}$ thin films with columnar defects **232**, 174
Kikuchi, M., E. Ohshima, M. Kikuchi, T. Atou and Y. Syono, Synthesis and structure of $Ba_4CaCu_2O_y(CO_3)$ **232**, 263
Kikuchi, M., see M. Kikuchi **232**, 263
Kim, C.-J., K.-B. Kim and G.-W. Hong, Y_2BaCuO_5 morphology in melt-textured Y–Ba–Cu–O oxides with $PtO_2 \cdot H_2O/CeO_2$ additions **232**, 163
Kim, K.-B., see C.-J. Kim **232**, 163
Kinoshita, K., see H. Shibata **232**, 181
Kirk, M.A., see M.C. Frischherz **232**, 309
Koshizuka, N., see H. Yakabe **232**, 371
Kosuge, M., see H. Yakabe **232**, 371
Kume, A., see H. Yakabe **232**, 371
Kuzovlev, Yu.E., see A.K. Asadov **232**, 158

Labbé, Ph., see M. Ledésert **232**, 387
Ledésert, M., A. Maignan, J. Chardon, C. Martin, Ph. Labbé, M. Hervieu and B. Raveau, (Tl, Bi)$Sr_2CaCu_2O_7$ "1212" superconducting single crystal. A structural and magnetic study **232**, 387
Le Doussal, P. and D.R. Nelson, Towards engineering of splayed columnar defects in type-II superconductors **232**, 69
Lee, H.C., see K.H. Lim **232**, 215
Li, J., J.S. Zhu, H.M. Shao, S.Y. Ding and Y.N. Wang, Mechanical dissipation in the high-T_c superconductor $HgBa_2CuO_{4+x}$ **232**, 1
Li, J., S.Y. Ding, H.M. Shao, J.S. Zhu and Y.N. Wang, AC susceptibility and activated energy of high-T_c superconductor $HgBa_2Ca_2Cu_3O_{8+x}$ **232**, 10
Li, X.Y., see N.J. Wu **232**, 151
Li, Y.F., Z.Z. Sheng, S. Sengupta, K.C. Goretta and P.E.D. Morgan, Synthesis and properties of $Tl_{0.6}V_{0.5}Sr_2Ca_2Cu_3O_x$ **232**, 184
Lim, K.H., H.C. Lee and N.H. Hur, An ^{17}O NMR study of $Hg_{0.5}Tl_{0.5}Ba_2(Ca_{1-x}Sr_x)_2Cu_3O_{8+\delta}$ **232**, 215
Lin, H., see N.J. Wu **232**, 151
Liu, R., see S.G. Kaplan **232**, 174
Lombardo, L.W., see I. Farnan **232**, 27

Macfarlane, J.C., see L. Hao **232**, 111
MacManus-Driscoll, J.L., J.A. Alonso, P.C. Wang, T.H. Geballe and J.C. Bravman, Studies of structural disorder in $ReBa_2Cu_3O_{7-x}$ thin films (Re = rare earth) as a function of rare-earth ionic radius and film deposition conditions **232**, 288
Maignan, A., M. Hervieu, C. Martin, C. Michel and B. Raveau, Cerium–mercury '1212' cuprates $Hg_{0.4}Ce_{0.5}Sr_{3-x}M_xCu_{2.1}O_{7-\delta}$ (M = Ca, Ce, Nd). A new series of superconductors **232**, 15
Maignan, A., see D. Pelloquin **232**, 75
Maignan, A., see V. Hardy **232**, 347
Maignan, A., see M. Ledésert **232**, 387
Maple, M.B., see R.F. Jardim **232**, 145
Maple, M.B., see H.W. Zandbergen **232**, 328
Martin, C., see A. Maignan **232**, 15
Martin, C., see V. Hardy **232**, 347
Martin, C., see M. Ledésert **232**, 387
Matthews, D.N., see J.W. Cochrane **232**, 89
Mazumdar, C., see R.M. Kadam **232**, 359
Mehta, G.K., see S.G. Kaplan **232**, 174
Meng, R.L., L. Gao, P. Gautier-Picard, D. Ramirez, Y.Y. Sun and C.W. Chu, Growth and possible size limitation of quality single-grain $YBa_2Cu_3O_7$ **232**, 337
Merz, M., see K. Widder **232**, 82
Michel, C., see A. Maignan **232**, 15
Michel, C., see D. Pelloquin **232**, 75
Mizutani, U., see Y. Yamada **232**, 269
Mogilko, E., see Y. Schlesinger **232**, 37
Morgan, P.E.D., see Y.F. Li **232**, 184
Morimoto, T., see T. Takahashi **232**, 227
Mukherjee, G.D., A. Chatterjee and C. Bansal, Anomalous thermal expansion behavior of the YBaCuO

superconductor. Indirect evidence of polaron formation **232**, 241
Müller-Vogt, G., see K. Widder **232**, 82

Nagarajan, R., see R.M. Kadam **232**, 359
Nelson, D.R., see P. le Doussal **232**, 69
Neri, S., see C. Camerlingo **232**, 44
Nicoletti, S., see C. Camerlingo **232**, 44

Ohshima, E., see M. Kikuchi **232**, 263
Okamoto, T., see Y. Yamada **232**, 269

Payne, D.A., see S.S. Sengupta **232**, 283
Pegrum, C.M., see L. Hao **232**, 111
Pelloquin, D., M. Hervieu, A. Maignan, C. Michel, M.T. Caldès and B. Raveau, The 34 K superconductor $Bi_{2-x}Pb_xSr_8Cu_4(CO_3)_3O_{12}$. A new oxycarbonate, third member of the series $(Bi_{2-x}Pb_xSr_2CuO_6)(Sr_2CuO_2CO_3)_n$ **232**, 75
Pizzochero, G., see C. Camerlingo **232**, 44
Pollert, E., see D. Sedmidubský **232**, 104
Porch, A., see J.R. Waldram **232**, 189
Provost, J., see V. Hardy **232**, 347

Qian, Y.-T., see K.-B. Tang **232**, 131
Qian, Y.-T., see W.-B. Wu **232**, 364

Rajeswari, M., see S.G. Kaplan **232**, 174
Ramirez, D., see R.L. Meng **232**, 337
Raveau, B., see A. Maignan **232**, 15
Raveau, B., see D. Pelloquin **232**, 75
Raveau, B., see M. Ledésert **232**, 387
Rogalla, H., see A.G. Sivakov **232**, 93
Ruggiero, B., see C. Camerlingo **232**, 44
Russell, G.J., see J.W. Cochrane **232**, 89
Russo, M., see C. Camerlingo **232**, 44
Ruyter, A., see V. Hardy **232**, 347

Sarnelli, E., see C. Camerlingo **232**, 44
Sarrac, J.L., see H.W. Zandbergen **232**, 328
Sastry, M.D., see R.M. Kadam **232**, 359
Sastry, P.V.P.S.S. and A.R. West, Synthesis, stoichiometry and T_c of Pb-free $Bi_2Sr_2Ca_2Cu_3O_{10}$ superconductor **232**, 63
Schlesinger, Y. and E. Mogilko, Characterization of superconducting YBCO/polyacrylonitrile composites **232**, 37
Sedmidubský, D., E. Pollert, J. Hejtmánek and P. Vašek, Electric transport properties of $Bi_{2-x}Sr_{2-y}Cu_1O_{6+\delta}$ ($x=y/3$) solid solutions **232**, 104
Senapati, L., see S.G. Kaplan **232**, 174
Sengupta, S., see Y.F. Li **232**, 184
Sengupta, S.S., P.D. Han and D.A. Payne, Self-flux growth of $YBa_2Cu_4O_8$ crystals in a hot isostatic press. An improved method for accelerated crystal growth **232**, 283
Shadrin, P.M., see Yu.Ya. Divin **232**, 257
Shao, H.M., see J. Li **232**, 1, 10
Shao, H.M., L.J. Shen, J.C. Shen, X.Y. Hua, P.F. Yuan and X.X. Yao, Synthesis of single-phase $HgBa_2Ca_2Cu_3O_{8+\delta}$ superconductor **232**, 5
Shen, J.C., see H.M. Shao **232**, 5
Shen, L.J., see H.M. Shao **232**, 5
Sheng, Z.Z., see Y.F. Li **232**, 184
Shibata, H., K. Kinoshita and T. Yamada, Single crystal growth of $(Ba_{1-x}Sr_x)_2Cu_{1.1}O_{2.2+\delta}(CO_3)_{0.9}$ by solid state recrystallization **232**, 181
Shiohara, Y., see H. Yakabe **232**, 371
Simon, Ch., see V. Hardy **232**, 347
Sivakov, A.G., A.P. Zhuravel', O.G. Turutanov, I.M. Dmitrenko, J.W.M. Hilgenkamp, G.C.S. Brons, J. Flokstra and H. Rogalla, Laser scanning imaging and local characterization of superconducting properties in high-T_c thin film multiturn coil **232**, 93
Stebbins, J.F., see I. Farnan **232**, 27
Stroud, D., see R.F. Jardim **232**, 145
Su, Y., see C. Camerlingo **232**, 44
Subramanian, S., see C.S. Gopinath **232**, 222
Sun, Y.Y., see R.L. Meng **232**, 337
Syono, Y., see M. Kikuchi **232**, 263

Takahashi, T., T. Morimoto and T. Yokoya, High-energy resolution photoemission study of Cs_xC_{60}. Comparative study with K_xC_{60} **232**, 227
Tang, K.-B., Y.-L. Zhao, Z.-Y. Chen, Y.-T. Qian, L.-Z. Chao and Y.-H. Zhang, Effect of Cd substitution on superconductivity of Bi-2222 cuprates **232**, 131
Taylor, J.A.T., see A.M.M. Barus **232**, 246
Tejada, J., see X.X. Zhang **232**, 99
Testa, G., see C. Camerlingo **232**, 44
Turutanov, O.G., see A.G. Sivakov **232**, 93

Varelogiannis, G., Critical regime of conventional theories and high-temperature superconductors **232**, 49
Vašek, P., see D. Sedmidubský **232**, 104
Venkatesan, T., see S.G. Kaplan **232**, 174
Vijayaraghavan, R., see R.M. Kadam **232**, 359

Wahl, A., see V. Hardy **232**, 347
Waldram, J.R., A. Porch and H.-M. Cheah, Measurement of the microwave conductivities of high-T_c superconducting powders **232**, 189
Wang, J.-S., see X.-J. Zhang **232**, 277
Wang, L.-B., see W.-B. Wu **232**, 364
Wang, P.C., see J.L. MacManus-Driscoll **232**, 288
Wang, Y.N., see J. Li **232**, 1, 10
Weber, H.W., see M.C. Frischherz **232**, 309
Wen, J.G., see H. Yakabe **232**, 371
West, A.R., see P.V.P.S.S. Sastry **232**, 63
Widder, K., A. Zibold, M. Merz, H.P. Geserich, A. Erb and G. Müller-Vogt, Ordering of chain oxygen in $YBa_2Cu_3O_x$. Optical investigations on single-domain crystals **232**, 82
Wong, K.W., see X.X. Zhang **232**, 99
Wu, N.J., H. Lin, K. Xie, X.Y. Li and A. Ignatiev, A comparison study of (100) and (110) $Ba_{0.5}Sr_{0.5}TiO_3$

epitaxial thin films grown on superconducting $YBa_2Cu_3O_{7-x}$ thin-film substrates **232**, 151
Wu, W.-B., J.-S. Zhu, L.-B. Wang, G.-E. Zhou, Y.-H. Zhang, Y.-T. Qian and Q.-W. Chen, On the thermal instability of crystal $Bi_2Sr_2CuO_x$ (2201) **232**, 364

Xiang, X.-D., see J.G. Hou **232**, 22
Xie, K., see N.J. Wu **232**, 151
Xin, Y., see X.X. Zhang **232**, 99
Xu, Z.-A., see X.-J. Zhang **232**, 277

Yakabe, H., A. Kume, J.G. Wen, M. Kosuge, Y. Shiohara and N. Koshizuka, p-type Carrier doping in $ACuO_2$ infinite-layer thin film **232**, 371
Yakhmi, J.V., see I.K. Gopalakrishnan **232**, 127
Yamada, T., see H. Shibata **232**, 181
Yamada, Y., T. Okamoto, U. Mizutani and I. Hirabayashi, Low-temperature specific-heat studies of Bi–Sr–Cu–O **232**, 269
Yao, X.X., see H.M. Shao **232**, 5
Yokoya, T., see T. Takahashi **232**, 227
Yuan, P.F., see H.M. Shao **232**, 5

Zandbergen, H.W., T.J. Gortenmulder, J.L. Sarrac, J.C. Harrison, M.C. de Andrade, J. Hermann, S.H. Han, Z. Fisk, M.B. Maple and R.J. Cava, Structure and composition analysis of the phases in the system Th–Pd–B–C containing superconductors with $T_c = 14.5$ K and $T_c = 21$ K **232**, 328
Zettl, A., see J.G. Hou **232**, 22
Zhang, Q.R., see X.-J. Zhang **232**, 277
Zhang, X.-J., J.-S. Wang, Z.-A. Xu, Z.-K. Jiao and Q.R. Zhang, Normal and superconducting properties in the $Ca_{1-x}Cd_xLaBaCu_3O_y$ system **232**, 277
Zhang, X.X., A. García, J. Tejada, Y. Xin and K.W. Wong, Experimental evidence of quantum tunneling of 2D vortices up to 10 K in bulk $Tl_2Ba_2Ca_2Cu_3O_{10}$ superconductor **232**, 99
Zhang, Y.-H., see K.-B. Tang **232**, 131
Zhang, Y.-H., see W.-B. Wu **232**, 364
Zhao, Y.-L., see K.-B. Tang **232**, 131
Zhou, G.-E., see W.-B. Wu **232**, 364
Zhou, S.-A., An analysis of anisotropic superconducting planar waveguide **232**, 379
Zhu, J.S., see J. Li **232**, 1, 10
Zhu, J.-S., see W.-B. Wu **232**, 364
Zhuravel', A.P., see A.G. Sivakov **232**, 93
Zibold, A., see K. Widder **232**, 82

ELSEVIER

Physica C 232 (1994) 401–402

PHYSICA C

Analytic Subject Index to Volume 232

AC susceptibility 1, 10, 63, 131
Anisotropic superconductor 82, 99, 347, 379
Antiferromagnetic order 119
Applications of high-T_c superconductors 37, 111, 337

Bi2201 269

C_{60} compounds 22, 227
Carrier concentration 82, 119, 269
CO_3 compounds 75
Columnar defects 69, 174, 309
Complex conductivity 189
Composites 37
Critical current density 158, 387
Critical regime 49
Cu–O planes 27, 99, 215

Defect structures 163, 257, 309
Disorder 288

EDX 5
Elastic properties 37, 233
Electrical resistivity 37, 49, 104, 131, 145, 181, 184, 257, 371
Electronic structure 27, 222, 227
Eliashberg theory 49
Energy gap 49

Ferroelectrics 151
Fishtail effect 347
Fluctuation effects 49, 111
Flux dynamics 10
Flux pinning 10, 69, 233, 347

Glassy state 145
Grain boundaries 111, 257
Granular superconductivity 22, 37, 145, 158

Hall effect 104
HREM 15, 309, 328

Infrared spectroscopy 174
Ionic radius 288
Irradiation effect 174, 309
Irreversibility line 1, 10, 184

Josephson effect 44

Laser ablation 151
Lattice parameters 75, 371
Lower critical field H_{c1} 359

Magnetic relaxation 347
Magnetization 99, 184, 337, 347, 387
Magnetoresistance 22, 145
Mechanical dissipation 1
Metal–insulator transition 277
Microstructure 246
Microwave absorption 359
Mixed valency 222
Multilayers 93, 215

NMR 27, 215
Normal-state properties 89, 136, 241, 257

Optical absorption 93
Optical spectroscopy 82
Oxygen ordering 82
Oxygen pressure 283
Oxygen stoichiometry 27, 89, 277

Percolation model 158
Peritectic 246
Phase stability 364
Photoemission 227
Polaronic superconductivity 241

Quaternary borocarbides 359
Quench 246

Rietveld analysis 288

Scanning laser microscopy 93
Single crystal growth 283
Specific heat 269
SQUID 44, 111
Structure
–of $Ba_4CaCu_2O_y(CO_3)$ 263
–of $ReBa_2Cu_3O_{7-x}$ 288
–of Th–Pd–B–C 328
–of $YBa_2Cu_3O_{7-x}$ 246
–of Y–Ba–Cu–O 163
Substitution effects 131, 163, 277, 288
–in $(Bi_{0.8}Pb_{0.2-y}V_y)_2Sr_2Ca_2Cu_3O_x$ 136
–in $Bi_{2-x}Sr_{2-y}Cu_1O_{6+\delta}$ 104
–in $Hg_{0.4}Ce_{0.5}Sr_{3-x}M_xCu_{2.1}O_{7-\delta}$ 15
–in $(Nd_{2/3}Ce_{1/3})_2(Ba_{2/3}Nd_{1/3})_2Cu_3O_{9-d}$ 127
Surface impedance 189
Synthesis
–of $ACuO_2$ 371
–of $(Ba_{1-x}Sr_x)_2Cu_{1.1}O_{2.2+\delta}(CO_3)_{0.9}$ 181
–of $Ba_4CaCu_2O_y(CO_3)$ 263
–of $Bi_2Sr_2Ca_2Cu_3O_{10}$ 63
–of $Bi_2Sr_2CuO_x$ 364
–of $Bi_{2-x}Pb_xSr_8Cu_4(CO_3)_3O_{12}$ 75
–of Bi–Sr–Cu–O 269
–of $Hg_{0.4}Ce_{0.5}Sr_{3-x}M_xCu_{2.1}O_{7-\delta}$ 15
–of $HgBa_2Ca_2Cu_3O_{8+\delta}$ 5
–of $(Nd_{2/3}Ce_{1/3})_2(Ba_{2/3}Nd_{1/3})_2Cu_3O_{9-d}$ 127
–of $(Tl,Bi)Sr_2CaCu_2O_7$ 387
–of $Tl_{0.6}V_{0.5}Sr_2Ca_2Cu_3O_x$ 184
–of $YBa_2Cu_3O_7$ 337
–of $YBa_2Cu_3O_{7-x}$ 246
–of $YBa_2Cu_4O_8$ 283
–of Y–Ba–Cu–O 163

Thermal expansion 241
Thermoelectric effects 89, 104, 136
Thin films 93, 151, 174, 233, 257, 288, 371
Tunneling 99
Type II superconductors 215

Upper critical field H_{c2} 22

Vortex dynamic effect 379

Wave attenuation 379
Wave dispersion 379
Waveguide 379
Weak links 44, 111
XPS 222
X-ray diffraction 5, 63, 127, 263, 328, 364, 387
XY-model 119

ELSEVIER

Physica C 232 (1994) 403

PHYSICA C

Materials Index to Volume 232

$ACuO_2$
–synthesis 371

$(Ba_{1-x}Sr_x)_2Cu_{1.1}O_{2.2+\delta}(CO_3)_{0.9}$
–synthesis 181
$Ba_4CaCu_2O_y(CO_3)$
–structure 263
–synthesis 263
$(Bi_{0.8}Pb_{0.2-y}V_y)_2Sr_2Ca_2Cu_3O_x$
–substitution effects 136
$Bi_2Sr_2Ca_2Cu_3O_{10}$
–synthesis 63
$Bi_2Sr_2CuO_x$
–synthesis 364
$Bi_{2-x}Pb_xSr_8Cu_4(CO_3)_3O_{12}$
–synthesis 75
$Bi_{2-x}Sr_{2-y}Cu_1O_{6+\delta}$
–substitution effects 104
Bi–Sr–Cu–O
–synthesis 269

$Hg_{0.4}Ce_{0.5}Sr_{3-x}M_xCu_{2.1}O_{7-\delta}$
–substitution effects 15
–synthesis 15
$HgBa_2Ca_2Cu_3O_{8+\delta}$
–synthesis 5

$(Nd_{2/3}Ce_{1/3})_2(Ba_{2/3}Nd_{1/3})_2Cu_3O_{9-d}$
–substitution effects 127
–synthesis 127

$ReBa_2Cu_3O_{7-x}$
–structure 288

Th–Pd–B–C
–structure 328

$(Tl,Bi)Sr_2CaCu_2O_7$
–synthesis 387
$Tl_{0.6}V_{0.5}Sr_2Ca_2Cu_3O_x$
–synthesis 184

$YBa_2Cu_3O_7$
–synthesis 337
$YBa_2Cu_3O_{7-x}$
–structure 246
–synthesis 246
$YBa_2Cu_4O_8$
–synthesis 283
Y–Ba–Cu–O
–structure 163
–synthesis 163